

# Town of St Armand Benchmarking Report

Date Generated: 03/18/2024 02:03 PM EDT

Number of properties in report: 2

Portfolio Manager Property ID	Property Name	Year Ending	Site EUI (kBtu/ft <sup>2</sup> )	Source EUI (kBtu/ft <sup>2</sup> )
6352431	St. Armand Town Hall	12/31/2017	52.6	66.4
6352431	St. Armand Town Hall	12/31/2022	50.5	63.2
6352431	St. Armand Town Hall	12/31/2023	82.1	100.8
6352434	St. Armand Highway Garage	12/31/2017	52.7	68.8
6352434	St. Armand Highway Garage	12/31/2022	54.4	75.5
6352434	St. Armand Highway Garage	12/31/2023	62.9	84.6

**Energy Use Index (EUI)** = Energy Use divided by the property square foot

**Site Energy** = The annual amount of all the energy the property consumes on-site, as reported on uti

**Source Energy** = The total amount of all the raw fuel required to operate the property, including loss transmission, and distribution of the energy

**ENERGY STAR Score** = measure of how well the property is performing relative to similar properties, characteristics. The 1-100 scale is set so that 1 represents the worst performing buildings and 100 re 50 indicates that a building is performing at the national median, taking into account its size, locatio indicates that a property is performing in the 75th percentile and may be eligible to earn ENERGY ST.

**Greenhouse Gas (GHG) Emissions** = The carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), and nitrous oxide (N<sub>2</sub>O) emissions from energy consumption at the property; expressed in carbon dioxide equivalent (CO<sub>2</sub>e), a universal u global warming potential of each greenhouse gas, and reported as a value in metric tons (Metric Ton)

ENERGY STAR Score	Energy Cost (\$)	Total (Location-Based) GHG Emissions (Metric Tons CO2e)
68	\$ 4,264.36	16.9
71	\$ 7,497.97	16
35	\$ 11,182.33	26.2
NA	\$ 6,714.02	19.8
NA	\$ 9,170.21	19.4
NA	\$ 10,067.42	22.8

ility bills

ies that take place during generation,

when normalized for climate and operational presents the best performing buildings. A score of 75, and operating parameters. A score of 75 LEED Platinum Certification.

20) gases released into the atmosphere as a result unit of measure that combines the quantity and intensity (Metric Tons CO2e)